



# PRODUCT CATALOG 2026

ENGINEERED HARDWOOD

SOLID HARDWOOD

SPC/WPC FLOORING

LAMINATE



**Johnson.hardwood®**

[www.johnsonhardwood.com](http://www.johnsonhardwood.com)



825 Sentous Ave  
City of Industry, CA 91748  
TF 800.910.3047  
O 626.363.9000  
F 626.363.9048





# Aspen Collection

HIGH PERFORMANCE WPC FLOORING

WPC  
FLOORING



STALLER | VT-WPC-ASP23805

**Width:** 9.37"

**Length:** 60"

**Thickness:** 8.0mm

**Construction:** 6.5mm  
WPC Core + 1.5mm Pad

**Wear Layer:** 20 mil

**Finish:** Ceramic Bead

**Bevel:** Pressed /  
Pillowed Edge

**Embossing:** Regular


**Installation:**  
On, Above, Below

**Clic:** Valinge 2G

**Underlayment:** 1.5mm IXPE Pad

**SQ. FT. Per Box:** 23.39

**Warranty:** Limited Lifetime  
Residential, Limited 10-year  
Medium Commercial Warranty



### ***Pressed / Pillowed Edge***

*Featuring a softly rounded edge, this style mimics the handcrafted look of hand-scraped hardwood, adding depth and character to your flooring.*




  
**VORTIS**  
WWW.VORTISFLOORS.COM

**Johnson.hardwood®**  
www.johnsonhardwood.com


INFO@JOHNSONHARDWOOD.COM

DISTRIBUTED BY JOHNSON HARDWOOD






COLORADO | VT-WPC-ASP23801




SHERMAN | VT-WPC-ASP23802




BASALT | VT-WPC-ASP23803




WHEELER | VT-WPC-ASP23804



STALLER | VT-WPC-ASP23805



LINCOLN | VT-WPC-ASP23806



ELK | VT-WPC-ASP23807




GLENWOOD | VT-WPC-ASP23808




ELBERT | VT-WPC-ASP23809



ROBSON | VT-WPC-ASP23810



PITKIN | VT-WPC-ASP23811



WALTER | VT-WPC-ASP23812

## Aspen Collection

**HIGH PERFORMANCE WPC FLOORING**

Phthalate  
**Free**



\*Product images represent only a small section of the floor and may not accurately depict the product's full tone, shade, or variation. For accuracy, refer to physical samples prior to final selection.

LEARN MORE



# Cascade Collection

HIGH PERFORMANCE LUXURY VINYL FLOORING

HIGH PERFORMANCE  
**LVT**  
VINYL PLANK



GLACIER | VT-LVT-CC18703

**Width:** 7.36"  
**Length:** 48"  
**Thickness:** 2.5mm  
**Construction:** LVT  
**Wear Layer:** 20 mil

**Installation Method:**  
\*Glue Down  
**Finish:** Ultra Anti-Scratch  
**Bevel:** Bevel Edge  
**Embossing:** Regular

**Installation:**  
On, Above, Below  
**SQ. FT. Per Box:** 39.5  
**Warranty:** Limited Lifetime  
Residential

*\* Recommended Glue: Mapei - Ultrabond ECO 399*



## ***Superior Stability and Durability***

*\* Glue-Down LVT Method offers excellent dimensional stability. The strong bond to the subfloor prevents movement, shifting, and buckling, making it highly durable, especially in high-traffic commercial or residential settings.*




**VORTIS**  
WWW.VORTISFLOORS.COM

**Johnson.hardwood®**  
www.johnsonhardwood.com


INFO@JOHNSONHARDWOOD.COM

DISTRIBUTED BY JOHNSON HARDWOOD





MACKENZIE | VT-LVT-CC18701



COLUMBIA | VT-LVT-CC18702




GLACIER | VT-LVT-CC18703



JASPER | VT-LVT-CC18704



ALBERTA | VT-LVT-CC18705



LEWIS | VT-LVT-CC18706

## Cascade Collection

**HIGH PERFORMANCE LUXURY VINYL FLOORING**

**Phthalate  
Free**



\*Product images represent only a small section of the floor and may not accurately depict the product's full tone, shade, or variation. For accuracy, refer to physical samples prior to final selection.

LEARN MORE



# Norden Home Collection

HIGH PERFORMANCE WPC FLOORING

WPC  
FLOORING



KOS | VT-WPC-NH22510

**Width:** 8.85"

**Length:** 72"

**Thickness:** 12.0mm

**Construction:** 10.5mm  
WPC Core + 1.5mm Pad

**Wear Layer:** 30 mil

**Finish:** Ceramic Bead

**Bevel:** Bevel Edge

**Embossing:** EIR

**Installation:**  
On, Above, Below

**Clic:** Valinge 5G Dry

**Underlayment:** 1.5mm IXPE Pad

**SQ. FT. Per Box:** 17.73

**Warranty:** Limited Lifetime  
Residential, Limited 30-year  
Medium Commercial Warranty



## Seamless & Secure

5G Dry delivers the same quick and easy 5G Fold Down installation—now enhanced with a watertight joint to prevent leaks and safeguard your subfloor.



VORTIS

WWW.VORTISFLOORS.COM

**Johnson.hardwood®**  
www.johnsonhardwood.com

INFO@JOHNSONHARDWOOD.COM

DISTRIBUTED BY JOHNSON HARDWOOD





FIKA | VT-WPC-NH22501



SISU | VT-WPC-NH22502



KAFFI | VT-WPC-NH22503



LYKKE | VT-WPC-NH22504




HEIM | VT-WPC-NH22505




ORKA | VT-WPC-NH22506




MYSA | VT-WPC-NH22507



MARKA | VT-WPC-NH22508



LAGOM | VT-WPC-NH22509



KOS | VT-WPC-NH22510



NIKSEN | VT-WPC-NH22511



HUS | VT-WPC-NH22512

## Norden Home Collection

**HIGH PERFORMANCE WPC FLOORING**

Phthalate  
**Free**



\*Product images represent only a small section of the floor and may not accurately depict the product's full tone, shade, or variation. For accuracy, refer to physical samples prior to final selection.

LEARN MORE



## ABOUT JOHNSON HARDWOOD

---

Johnson Hardwood is one of the leading manufacturers of premium hardwood flooring with distribution to the United States and Canada. We produce on-trend, high-demand flooring options by sourcing durable hardwood species from around the globe. Our products are recognized for their affordability and superior quality. Plus, we offer the highest standards of worry-free floors in the industry being CARB II and Lacey Act compliant. Each flooring plank is precision milled, hand crafted, and hand stained to produce an exquisite product. Johnson Hardwood floors are manufactured with the greatest care and backed by a warranty that assures complete satisfaction.

The Johnson Hardwood manufacturing process starts by sourcing wood species with grain patterns that flooring customers are looking for. Color and wood specie trends are researched by our product development team to create natural looking premium hardwood flooring options for our customers. From contemporary to traditional and dark wood to natural colors, we keep our customer interior design needs in mind by providing a wide variety of flooring options.

Whether exotic or domestic, Johnson Hardwood travels the globe in search of unique grain patterns, durable woods, and responsibly harvested trees. Harvested wood is cut into planks and hand carved for a custom floor look. Wood planks are then hand stained to ensure even coloring while allowing the natural wood color variation to come through. The finished product has the look of a custom hardwood floor while at an affordable price. Johnson Hardwood adheres to anti-dumping and sustainable tree harvesting practices with a commitment to preserving forest ecosystems.





# ENGINEERED and SOLID HARDWOOD PRODUCT LINES



## An Overview of Johnson's Engineered/Solid

### LACEY ACT FOR RESPONSIBLE FORESTRY & SUSTAINABILITY

Johnson Hardwood aims to assure our customers that the Johnson Hardwood floor they've purchased comes from responsibly harvested forests. Johnson Hardwood sources hardwood from the U.S., China, Brazil, and Canada. Government regulations in all of these countries have become much more stringent over the last decade, and we fully support their efforts to protect their forests. China's Council for International Cooperation on Environment and Development regulates sustainable development through environmental policy and reform. There are Six National Key Forest Programs regulated by China's State Council that include the promotion of economic development, natural resource management and environmental protection, taxation and regulation of timber markets, and international trade and investment. To comply with global sustainability, Brazil adheres to forest certification as regulated by the Forest Stewardship Council. Canada's forest and lumber industry is regulated by the Canada Environmental Protection Agency. The United States, through the enactment of the Lacey Act, has helped other countries by preventing the importation of any hardwood product that is not legally harvested according to the rules of its country of origin. The Lacey Act requires end users of endangered wood to certify the legality of their supply chain all the way to the trees. If an importer knowingly imports tainted wood that has been illegally cut down for lumber then they will be raided by the Environmental Investigation Agency and dealt with by the U.S. Department of Justice.

### CARB CERTIFIED FOR QUALITY ASSURANCE

It is part of the Johnson Hardwood manufacturing process to carefully craft and comply with the most stringent wood manufacturing regulations imposed in the United States. The most stringent standard being CARB compliant according to the California Environmental Protection Agency. CARB refers to the California Air Resources Board as governed by the California Environmental Protection Agency. CARB's mission is to promote and protect public health, welfare, and ecological resources through effective reduction of air pollution. Since January 1, 2009, manufacturers of wood products are required to prove their products meet the established Airborne Toxic Control Measure (ATCM) that sets upper limits on formaldehyde emissions from composite wood products sold in California, and is the most stringent due to the emission caps where other standards are based on averages. To be compliant, Johnson Hardwood is required to provide documentation of compliance and label products accordingly. CARB II, effective January 1, 2011, has defined guidelines for the entire production process that includes the manufacturer, distributor and fabricator of wood products.

### EMISSIONS STANDARDS FOR ENGINEERED WOOD PRODUCTS

Johnson Hardwood is dedicated to producing the highest quality wood products through sustainable and environmentally responsible practices. As part of this commitment, we ensure all our applicable products are certified under the Environmental Protection Agency's (EPA) regulations, including: hardwood plywood, composite panels, and particle board.


As of June 1, 2018, all composite wood products must be compliant with the EPA's Toxic Substance Control Act (TSCA) Title VI regulation. This certification and our compliance statements are also included all product packaging. The EPA established Title VI of TSCA to regulate the chemical emissions produced by three important composite wood products: hardwood plywood, medium-density fiberboard (MDF), and particle board. Read on to learn about Timber Products' compliance with the latest EPA regulations and industry best practices.



**NEW for 2025!**



**ENGINEERED**



Beveled Edge



Wire Brushing



Filled Knots

- 11-7/8" Width
- Long Length Planks
- UV Cured Urethane
- Matte Finished

Ascend to the heights of luxury with our divine Olympus Series engineered wood flooring, a homage to the majestic Mt. Olympus itself. With an extravagant width of 11-7/8 inches and meticulously crafted at 1/2-inch thickness, each plank embodies sophistication. Adorned with a sliced veneer and kissed by a UV cured urethane finish, this flooring radiates unparalleled glamour. Enhanced by a gentle wire brushed texture, it promises both durability and charm. Available in oak and hickory, the Olympus Series invokes the gods with six divine colors: Athena, Apollo, Ares, Artemis, Zeus, and Hera. Let your space transcend into a sanctuary of romance and beauty with the Olympus Series as your muse.

## OLYMPUS Series

Width 11-7/8"   Length Random		Packaging Info
Thickness	1/2" (Nominal)	<b>SQ FT/CTN</b> 42.63 SQ FT <b>CTNS/PLT</b> 33 CTNS <b>SQ FT/PLT</b> 1,406.79 SQ FT
Veneer	1.2mm	
Construction	Engineered	
Finish	UV Cured Urethane	
Species	Hickory, Oak	
Style	Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue/Glue Assist On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





**ATHENA (HICKORY)**  
PL-OLH30001



**APOLLO (HICKORY)**  
PL-OLH30002




**ARES (OAK)**  
PL-OLO30003



**ARTEMIS (OAK)**  
PL-OLO30004



**ZEUS (OAK)**  
PL-OLO30005



**HERA (OAK)**  
PL-OLO30006






**NEW for 2025!**



AME-CRH19001 SANDSTONE (HICKORY)



Beveled Edge



Wire Brushing



Filled Knots

- Engineered Wood Stability
- Long-Lasting Durability
- UV Cured Aluminum Oxide Finish

Canyon Ridge Series – where breathtaking beauty meets unparalleled sophistication! With its light wire brushed finish and delicate bevel, the UV-cured aluminum oxide finish ensures lasting durability. Each plank boasts timeless colors inspired by nature's palette: Sandstone exudes warmth and elegance, Amber radiates richness and depth, Jasper captivates with earthy allure, Topaz shimmers with golden brilliance, Moonstone enchants with its ethereal charm, and Flint adds a touch of modern sophistication. Hickory wood is renowned for its distinctive grain pattern, which is both visually appealing and functional. Available in wide 7-1/2" planks, Canyon Ridge promises both visual allure and flawless uniformity. Elevate your space with this perfect fusion of strength, style, and sophistication.

## CANYON RIDGE Series


Width 7-1/2" (Nominal)   Length Random		Packaging Info
Thickness	1/2" (Nominal)	SQ FT/CTN 23.4 SQ FT CTNS/PLT 55 CTNS SQ FT/PLT 1,287 SQ FT
Veneer	1.2mm, Sliced	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	
Species	Hickory	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty






**SANDSTONE (HICKORY)**  
AME-CRH19001



**AMBER (HICKORY)**  
AME-CRH19002




**JASPER (HICKORY)**  
AME-CRH19003



**TOPAZ (HICKORY)**  
AME-CRH19004



**MOONSTONE (HICKORY)**  
AME-CRH19005



**FLINT (HICKORY)**  
AME-CRH19006






**NEW for 2025!**




**ENGINEERED**



AME-CS019007 ALMOND (EUROPEAN OAK)



Beveled Edge



Wire Brushing



Filled Knots

- Engineered Wood Stability
- Long-Lasting Durability
- UV Cured Aluminum Oxide Finish

Introducing Johnson Hardwood's Countryside Oak: engineered hardwood flooring crafted from premium European Oak. This budget-friendly flooring offers both elegance and resilience with a generous 7-1/2" width and a sturdy 3/8" thickness. Each plank features a 1.0 mm sliced veneer, enhanced by a light wire-brushed finish and a UV-cured aluminum oxide coating for superior durability. With 10 stunning SKUs, such as Tortilla, Driftwood, and Pebble, the Countryside Oak Series captures a palette inspired by the rich tones and textures of nature.

Elevate your home with the timeless beauty and affordability of Countryside Oak, where every detail reflects a heritage of quality and rustic charm.

## COUNTRYSIDE OAK Series

Width 7-1/2" (Nominal)   Length Random		Packaging Info
Thickness	3/8" (Nominal)	SQ FT/CTN 43 SQ FT CTNS/PLT 45 CTNS SQ FT/PLT 1,935 SQ FT
Veneer	1.0mm, Sliced	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	
Species	European Oak	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Glue On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty, Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





**TORTILLA (EUROPEAN OAK)**  
AME-CSO19001



**BUTTERMILK (EUROPEAN OAK)**  
AME-CSO19002



**DRIFTWOOD (EUROPEAN OAK)**  
AME-CSO19003



**PEBBLE (EUROPEAN OAK)**  
AME-CSO19004



**WHEAT (EUROPEAN OAK)**  
AME-CSO19005



**HAZELNUT (EUROPEAN OAK)**  
AME-CSO19006



**ALMOND (EUROPEAN OAK)**  
AME-CSO19007



**BISCUIT (EUROPEAN OAK)**  
AME-CSO19008



**SANDSTONE (EUROPEAN OAK)**  
AME-CSO19009



**CARAMEL (EUROPEAN OAK)**  
AME-CSO19010





**NEW for 2025!**

**TEXAS**  
**TIMBER**  
SERIES



AME-TT019001 ALABASTER (EUROPEAN OAK)



Beveled Edge



Light Wire Brushing



Filled Knots

- Engineered Wood Stability
- Random Length Planks
- UV Cured Aluminum Oxide Finish

Introducing Texas Timber: crafted from European oak with a light wire brushed finish. Each plank features a 1.2mm sliced veneer and a UV-cured aluminum oxide finish, showcasing the resilience and strength of the Lone Star State. Bringing a touch of rustic elegance to your home at a friendly price point, Texas Timber combines refined style with a thickness of 3/8" and a width of 7-1/2". The series features 10 colors representing the hues and tones of Texas, with names like Alabaster, Sand, Tawny, and Carob—to name a few. Experience the timeless allure of Texas with every step.

## TEXAS TIMBER Series

Width 7-1/2"   Length Random		Packaging Info
Thickness	3/8" (Nominal)	SQ FT/CTN 38.9 SQ FT CTNS/PLT 45 CTNS SQ FT/PLT 1,750.5 SQ FT
Veneer	1.2mm, Sliced	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	
Species	European Oak	
Style	Light Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Glue On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com



# TEXAS TIMBER SERIES



**ALABASTER (EUROPEAN OAK)**  
AME-TTO19001



**PARCHMENT (EUROPEAN OAK)**  
AME-TTO19002



**SAND (EUROPEAN OAK)**  
AME-TTO19003



**TAUPE (EUROPEAN OAK)**  
AME-TTO19004



**AMBER (EUROPEAN OAK)**  
AME-TTO19005



**TAWNY (EUROPEAN OAK)**  
AME-TTO19006



**HONEY (EUROPEAN OAK)**  
AME-TTO19007



**CHESTNUT (EUROPEAN OAK)**  
AME-TTO19008



**LABRADOR (EUROPEAN OAK)**  
AME-TTO19009



**CAROB (EUROPEAN OAK)**  
AME-TTO19010



**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

\*Product pictures show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.





ENGINEERED



AME-OG19006 MOHR (OAK)



Beveled Edge



Light Wire Brushing



Filled Knots

- Wired Brushed
- Long Length Planks
- UV Cured Aluminum Oxide

Step into a world of timeless beauty with Oak Grove - the new engineered wood flooring that captures the essence of European oak. With its random length, light wire brushed texture, and low gloss finish, Oak Grove adds a touch of rustic elegance to any space. Crafted to perfection with UV cured aluminum oxide, this 1/2" thick flooring promises durability and longevity. Choose from a stunning selection of 6 colors in prime abcd grade or 4 colors in prime select or ab grade. Transform your home with the warmth and character of Oak Grove and create your very own love story with every step.

## OAK GROVE Series

Width 7-1/2"   Length Random		Packaging Info
Thickness	1/2" (Nominal)	<b>Rustic Grade</b> <b>SQ FT/CTN</b> 23.4 SQ FT <b>CTNS/PLT</b> 55 CTNS <b>SQ FT/PLT</b> 1,287 SQ FT
Veneer	Rustic Grade: 1.2mm Premium Grade: 1.8mm	
Construction	Engineered	
Finish	UV Cured Aluminum Oxide	<b>Premium Grade</b> <b>SQ FT/CTN</b> 31.09 SQ FT <b>CTNS/PLT</b> 36 CTNS <b>SQ FT/PLT</b> 1,119.24 SQ FT
Species	European Oak	
Style	Light Wire Brushed	
Gloss	Low	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





## Rustic Grade - 1.2mm Veneer



**TOUMEY (OAK)** AME-OG19001



**LAUREL (OAK)** AME-OG19002



**EMORY (OAK)** AME-OG19003



**WILLOW (OAK)** AME-OG19004



**HOLM (OAK)** AME-OG19005



**MOHR (OAK)** AME-OG19006


## Premium Grade - 1.8mm Veneer



**SHUMARD (OAK)** AME-OG19009



**GAMBEL (OAK)** AME-OG19010



**CHESTNUT (OAK)** AME-OG19011



**BARK (OAK)** AME-OG19012





INTRODUCING

# The GRAND CHATEAU Series

European Oak... Ultra-Modern Style and Flare.

Engineered  
Hardwood

Encapsulating the sophistication and style of Europe, Johnson Hardwood's Grand Chateau Series ushers in a clean and simple elegance to any space. Sourcing from European Oak enables both wider and longer planks. While a modern, clean look and feel is obtained by simply relying on the wood grains' natural complexity and aesthetics – in turn complementing today's on-trend looks. Soft and unembellished taupes and richly detailed natural tans are achieved by mild whitewashing and administering a multi-hand-staining process. Crafted in random lengths and offered in 12 exquisite shades all evoking a modern simplicity, Johnson Hardwood will have you settling into your space with elegance and poise.



pictured color - CAERPHILLY

## STRENGTHS...

Using Sawn European Oak Allows Lengths up to 7ft and an 8-5/8" Width, Making these Planks Longer & Wider when Compared to Similar Products

## VISUALS...

Mild Whitewashing & Multi Hand-Staining Process Brings out the Natural Complexity and Beauty of the European Oak Wood Grains

## COMMITMENT...

Limited 35-Year Residential Finish Warranty - Limited Lifetime Structural Warranty

## ENVIRONMENTAL...

- Lacey Act Compliant - Manufactured Under Sustainable Forest Management Practices
- CARB II Certified - Regulation to Reduce Formaldehyde Emissions
- TSCA Title VI Compliant - Emission Standards for Adhesives in Composite Wood Products



**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)



**ENGINEERED**

Beveled Edge

Light  
Wire BrushingFine Detail and  
Characteristics

- Wider/Longer Length Planks
- Modern Design Aesthetics
- UV Cured Urethane

Encapsulating the sophistication and style of Europe, Johnson Hardwood's Grand Chateau Series ushers in a clean and simple elegance to any space. Sourcing from European Oak enables both wider and longer planks. While a modern, clean look and feel is obtained by simply relying on the wood grains' natural complexity and aesthetics – in turn complimenting today's on-trend looks. Soft and unembellished taupes and richly detailed natural tans are achieved by mild whitewashing and administering a multi-handstaining process. Crafted in random lengths and offered in 12 exquisite shades all evoking a modern simplicity, Johnson Hardwood will have you settling into your space with elegance and poise.

## GRAND CHATEAU Series

Width	8-5/8" (Nominal)   Length Random	Packaging info
Thickness	9/16" (Nominal)	<b>SQ FT/CTN</b> 31.3 SQ FT <b>CTNS/PLT</b> 40 CTNS <b>SQ FT/PLT</b> 1,252 SQ FT
Veneer	3.0mm	
Construction	Engineered	
Finish	UV Cured Urethane	
Species	European Oak	
Style	Wire Brushed	
Gloss	Matte	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





**CHAMBORD**  
AME-GC22001



**BARNARD**  
AME-GC22002



**VALER**  
AME-GC22003



**ALSWICK**  
AME-GC22004



**CHILLON**  
AME-GC22005



**CORVIN**  
AME-GC22006



**CAERPHILLY**  
AME-GC22007



**MALAHIDE**  
AME-GC22008



**DOVER**  
AME-GC22009



**TAUNTON**  
AME-GC22010



**AYDON**  
AME-GC22011



**MIRANDA**  
AME-GC22012





# Johnson.hardwood®

## ENGINEERED HARDWOOD

### NEW PRODUCT LINE QUICK FACTS

GENERAL DESCRIPTION	
An <b>ENGINEERED</b> hardwood line of <b>European Oak</b> .	
SPECIFICATIONS	
Width	8-5/8"
Length	Random (Up to 7FT) <i>*Longer, wider planks compared to other products</i>
Thickness	9/16" (Nominal)
Veneer	3.0mm
ADDITIONAL DETAILS	
Gloss	Matte
Finish	UV Cured Urethane, 11-Step Aluminum Oxide
Mild Whitewashing & Multi Hand-Staining Process <i>*Brings out natural complexity and beauty of the European Oak wood grains</i>	
Light Wire Brushing	
INSTALLATION	
Staple, Cleat, Glue, Float	
WARRANTY	
Limited 35-Year Residential Finish	
Limited Lifetime Structural	
GREEN STORY	
Lacey Act Compliant - Manufactured under sustainable forest management practices.	
CARB II Certified - Regulation to reduce formaldehyde emissions (CA Standard).	
TSCA Title VI Compliant - Emission standards for adhesives in composite wood products (National Standard).	
COLOR & STYLE	
Style	Clean and elegant, based on current on-trend European style.
	Relies on natural complexity and beauty of European Oak.
	Goes well with modern furniture.
Colors	12 colors ranging from natural tans to taupes.

FOR INTERNAL DISTRIBUTION ONLY



**English Pub**  
series

**ENGINEERED**



Handscraped  
Textures



Bevel Edge



Hand Honed

- Handscraped
- Long-Lasting Durability
- 11 Step Aluminum Oxide

Our craftsmen have delicately scraped and hand honed this floor to resemble the look of Old English Pubs where friends, family and travelers gathered to relax and converse in a warm and inviting atmosphere. The long 7 foot planks give the look of times gone by.

We used a character grade maple to bring out the natural beauty of the wood grain, along with filled splits and knots for more of that old world look.

## ENGLISH PUB Series

Width 7-1/2"   Length Most in 7/LF		Packaging info
Thickness	1/2"	<b>SQ FT/CTN</b> 26 SQ FT <b>CTNS/PLT</b> 55 CTNS <b>SQ FT/PLT</b> 1,430 SQ FT <b>WEIGHT/CTN</b> 41 LBS
Veneer	2.0mm	
Construction	Engineered	
Finish	11 Step Aluminum Oxide	
Species	Hickory, Maple	
Style	Handscraped/Vintage	
Gloss	Semi	
Installation Areas	Staple, Glue, Float On, Above, Below	

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





**APPLEJACK (HICKORY)**  
AME-EH19001



**RYE (HICKORY)**  
AME-EH19002



**SMOKED BOURBON (MAPLE)**  
AME-EM19001




**WHISKEY (MAPLE)**  
AME-EM19002



**BRANDY WINE (MAPLE)**  
AME-EM19003



**AMBER ALE (MAPLE)**  
AME-EM19004



**STOUT (MAPLE)**  
AME-EM19005



**COGNAC (MAPLE)**  
AME-EM19006



**MOONSHINE (MAPLE)**  
AME-EM19007



**PORTER (HICKORY)**  
AME-ESH19001



**SCOTCH (HICKORY)**  
AME-ESH19002



**PILSNER (HICKORY)**  
AME-ESH19003





**ENGINEERED**

Bevel Edge



Filled Checks

Wire Brushed  
(Random)

- All Natural Wood
- Long-Length Planks
- 11 Step Aluminum Oxide

The Alehouse series puts emphasis on the details to create a totally unique flooring experience. A multi-layer, hand-staining process has been used to create an inner glow effect that darkens towards the timeworn plank edges. Due to the natural glow, the Alehouse series has high color variation. Our exclusive vintage surface treatment finish adds even more character for the look of a reclaimed, custom hardwood floor.

## ALE HOUSE Series

Width 7-1/2"   Length Most in 7/LF		Packaging info
Thickness	1/2"	<b>SQ FT/CTN</b> 26 SQ FT <b>CTNS/PLT</b> 55 CTNS <b>SQ FT/PLT</b> 1,430 SQ FT <b>WEIGHT/CTN</b> 41 LBS
Veneer	2.0mm	
Construction	Engineered	
Finish	11 Step Aluminum Oxide	
Species	Maple, Oak	
Style	Vintage	
Gloss	Semi	
Installation Areas	Staple, Cleat, Glue, Float On, Above, Below	


**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com






**MAIBOCK (MAPLE)**  
AME-AHM19001



**HEFEWEIZEN (MAPLE)**  
AME-AHM19002



**COPPER ALE (MAPLE)**  
AME-AHM19003



**BARLEY ALE (MAPLE)**  
AME-AHM19004



**STRAWBERRY BLONDE (MAPLE)**  
AME-AHM19005



**DOPPELBOCK (MAPLE)**  
AME-AHM19006



**BELGIAN WHEAT (OAK)**  
AME-AHO19007



**MARZEN (OAK)**  
AME-AHO19008



**BLONDE (OAK)**  
AME-AHO19009



**SAISON (OAK)**  
AME-AHO19010



**WHEAT WINE (OAK)**  
AME-AHO19011



**DUNKEL (OAK)**  
AME-AHO19012





**ENGINEERED**


**Tuscan**  
series



Bevel Edge



Filled Checks



Handscraped

- Handcrafted
- Multiple Widths
- 11 Step Aluminum Oxide

The Tuscan series is designed to replicate the nostalgic presence of handcrafted wood floors in the regions of Northern Italy. The multiple widths are unique to match each cut of the wood to give every plank its own personal character, managing to bind it all together. Only through years of craftsmanship and the hands of artisan experience, this wood floor can truly harness the essence of old world Tuscany.

## TUSCAN Series

Width	4-1/2", 6", 7-1/2"	Length	Random	Packaging info
Thickness	9/16", 1/2" (Maple)			<b>SQ FT/CTN</b> 41.5 SQ FT <b>CTNS/PLT</b> 30 CTNS <b>SQ FT/PLT</b> 1,245 SQ FT <b>WEIGHT/CTN</b> 85 LBS
Veneer	2.0mm			
Construction	Engineered			
Finish	11 Step Aluminum Oxide			
Species	Hickory, Walnut, Maple			
Style	Handscraped/Smooth/Vintage			
Gloss	Semi/Low			
Installation	Staple, Glue, Float			
Areas	On, Above, Below			

**WARRANTIES:** Limited **35-Year** Residential Finish Warranty,  
Limited **Lifetime** Structural Warranty

**Johnson.hardwood®**  
www.johnsonhardwood.com





**SIENNA (HICKORY)**  
AME-E46701



**FLORENCE (HICKORY)**  
AME-E46702



**TOSCANA (HICKORY)**  
AME-E46703




**PALAZZO (WALNUT)**  
AME-E46705



**LUCCA (SMOOTH WALNUT)**  
AME-E46706



**CASENTINO (HICKORY)**  
AME-E46707



**GENOA (VINTAGE HICKORY)**  
AME-E46709 (LOW GLOSS)



**CATANIA (VINTAGE HICKORY)**  
AME-E46710 (LOW GLOSS)




**ARREZO (VINTAGE HICKORY)**  
AME-E46711 (LOW GLOSS)



**PRATO (VINTAGE HICKORY)**  
AME-E46712 (LOW GLOSS)



**SUNSET (MAPLE)**  
AME-EM46700



**VERONA (MAPLE)**  
AME-EM46705






## SPC PRODUCT LINES



## An Overview of Johnson's SPC Rigid Core Luxury Vinyl Flooring

Many customers are interested in the hype of worry-free flooring that SPC offers, but what exactly is SPC? SPC flooring stands for Stone Plastic Composite (or Solid Polymer Core), and they are engineered luxury vinyl planks manufactured to resemble natural wood but at a lower price point and less maintenance than hardwood floors. At Johnson Hardwood, our SPC floors are made with the following innovative technologies:



1. Protective wear layer for increased impact and wear resistance
2. Registered embossing (EIR) for a hyper-realistic wood texture
3. Unique printed design for real-looking wood details
4. WaterShield SPC Rigid Core for 100% waterproofing and increased durability
5. Underlayment for shock absorption and sound proofing
6. No glue, easy click installation
7. Phthalate, formaldehyde, and harmful chemical-free certifications



### GREEN STORY




Green Guard Gold Certified - Help reduce indoor air pollution and chemical exposure.



Phthalate Free - Chemicals that damage the liver/kidneys/lungs/reproductive system.







CELLAR-18201 BARBERA

Clean Visuals

Realistic Wood Details

Beveled Edge

- Clean Visuals
- 100% Waterproof
- Sound Reduction Underlayment
- Easy Click Installation


It's safe to say that no other libation has the potential to captivate an audience like wine. Cultivated and sophisticated, your favorite bottle can be a priceless investment. Choosing the right flooring for your home can be an equally important investment. Inspired by the aromatic cellars that swaddle the elixirs of our dreams rise the Cellar House Series. Featuring high-end, clean visuals that embody the essence and sophistication of European Oak, alluding to an unmistakable premium aura. Minimal variation, no knots and 12 alluring hues, that compliment an understated graining, will truly give any space the captivating and intriguing flavor to not only stand out... but be remembered and cherished for a lifetime.

## CELLAR HOUSE Series

Width 7-1/8"   Length 60" (5' Nominal)		Packaging Info
Thickness	5.5mm (4mm core + 1.5mm Pad)	SQ FT/CTN 29.86 SQ FT CTNS/PLT 45 CTNS SQ FT/PLT 1343.7 SQ FT
Wear Layer	0.5mm (20 mil)	
Construction	WaterShield SPC Rigid Core	
Underlayment	1.5mm IXPE Foam (High Density)	
CLIC	Valinge 2G	Approved For
Other Specs	100% Virgin Vinyl Embossed Texture FloorScore Certified	<ul style="list-style-type: none"> <li>• Three Season Rooms</li> <li>• Radiant Heat (Refer to Installation Guidelines)</li> </ul>

**WARRANTIES:** Limited **Lifetime** Residential Warranty, Limited **5-Year** Light Commercial Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.





**BARBERA**  
Cellar-18201



**NEBBIOLO**  
Cellar-18202



**CARIGNAN**  
Cellar-18203



**SANGIOVESE**  
Cellar-18204



**CHARBONO**  
Cellar-18205



**DOLCETTO**  
Cellar-18206



**GRENACHE**  
Cellar-18207



**PRIMITIVO**  
Cellar-18208



**SEMILLON**  
Cellar-18209



**KERNER**  
Cellar-18210



**ELBLING**  
Cellar-18211



**MALVASIA**  
Cellar-18212




INTRODUCING

# The PUBLIC HOUSE Series

Breathtaking Visuals... Cheers to the 30mil Wear Layer!

Watershield SPC  
Rigid Core

If you've loved our Alehouse engineered hardwood collection, you'll be ecstatic to find that our new Public House Series is the SPC counterpart to it. This series evokes rustic tavern charm and vintage speakeasy vibes by featuring eight rich colors ranging from warm taupes to dark browns - several of them being Alehouse Series colors highly rated by customers. As with all our SPC flooring, the Public House Series has all the beauty of real hardwood with all the benefits of SPC floors to give you a collection that withstands the bustle and joy of any lifestyle. You may want to raise your glass to it's 30mil Wear Layer too!



4 ALEHOUSE colors featured:

Barley Ale = Highball

Hefeweizen = Whiskey Sour

Strawberry Blonde = Manhattan

Doppelbock = Old Fashioned

pictured color - WHISKEY SOUR

## STRENGTH...

Industry leading 30mil wear layer is Thicker than previous SPC products creating increased durability

## ULTRA-REALISTIC VISUALS...

Registered embossing (EIR), w/30mil wear layer creates an Ultra-Realistic wood texture

## COMMITMENT...


Limited Lifetime Residential - Limited 30-Year Commercial -

Limited Lifetime Petproof - Limited Lifetime Waterproof - Limited Lifetime Structural

## ENVIRONMENTAL...

- Green Guard Gold Certified - Help reduce indoor air pollution and chemical exposure

- Phthalate Free - Chemicals that damage the liver/kidneys/lungs/reproductive system



johnson.hardwood®  
www.johnsonhardwood.com





Registered  
Embossing (EIR)



Realistic Wire Brushing



Painted Bevel

- Hyper-Realistic Alehouse Design
- Extremely Durable
- 100% Waterproof
- Easy Click Installation

Rustic tavern charm and vintage speakeasy vibes come to life in the new Public House series. Featuring eight rich colors ranging from greys to browns, each plank reaches five feet in length. Innovative rigid core technology and a thick 30-mil wear layer provide water-resistance and durability, while registered embossing technique creates realistic and detailed wood texture. These beautiful worry-free floors can match the bustle and joy of any lifestyle.

## PUBLIC HOUSE Series

Width 7"   Length 60" (5' Nominal)		Packaging Info
Thickness	7.5mm (6.0 + 1.5mm Pad)	SQ FT/CTN 17.52 SQ FT CTNS/PLT 55 CTNS SQ FT/PLT 963.6 SQ FT
Wear Layer	0.75mm (30 mil)	
Construction	WaterShield SPC Rigid Core Hybrid	
Underlayment	1.5mm IXPE Foam	Approved For
CLIC	Valinge 2G	
Other Specs	Registered Embossing (EIR) Green Guard Gold Phthalate Free	
		<ul style="list-style-type: none"> <li>• Three Season Rooms</li> <li>• Radiant Heat (Refer to Installation Guidelines)</li> </ul>

**WARRANTIES:** Limited **Lifetime** Residential Warranty, Limited **30-Year** Commercial Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.





**FRENCH 75**  
PHS-17801



**GIN RICKEY**  
PHS-17802



**SOUTHSIDE**  
PHS-17803



**SIDECAR**  
PHS-17804



**HIGHBALL**  
PHS-17805



**WHISKEY SOUR**  
PHS-17806



**MANHATTAN**  
PHS-17807



**OLD FASHIONED**  
PHS-17808





# Johnson.hardwood®

## NEW PRODUCT LINE QUICK FACTS

SPC  
FLOORING

GENERAL DESCRIPTION	
SPC (Stone Plastic Composite or Solid Polymer Core) product using stone powder fillers and PVC.	
We call this our Watershield SPC Rigid Core Hybrid.	
Our core has 3 layers (vinyl, SPC, and vinyl balancing layer).	
SPECIFICATIONS	
Width	7"
Length	60" (5FT nominal)
Thickness	7.5 mm (6.0mm + 1.5mm IXPE Foam backing) 30 mil wear layer (0.75mm) <i>*Thicker than previous SPC products, means increased durability</i>
Bevel	Painted Bevel
CONSTRUCTION	
Registered embossing (EIR) <i>*Technique gives realistic wood texture on surface</i>	
INSTALLATION	
Valinge 2G	
<a href="https://www.youtube.com/watch?v=qe6VP_JhgqM">https://www.youtube.com/watch?v=qe6VP_JhgqM</a>	
WARRANTY	
Limited Lifetime Residential	
Limited 30-Year Commercial	
Limited Lifetime Petproof	
Limited Lifetime Waterproof	
Limited Lifetime Structural	
GREEN STORY	
Green Guard Gold Certified - Help reduce indoor air pollution and chemical exposure.	
Phthalate Free - Chemicals that damage the liver/kidneys/lungs/reproductive system.	
COLOR & STYLE	
Style	SPC counterpart to our Alehouse Series.
Color	8 colors range from taupes to dark browns 4 Alehouse colors featured: Barley Ale = Highball Hefeweizen = Whiskey Sour Strawberry Blonde = Manhattan Doppelbock = Old Fashioned





SPC WATERPROOF FLOORING



Public House Series  
SPC Rigid Core

Manhattan PHS-17807



Highball PHS-17805



## Perfect Duet...

A seamless transition of flooring throughout the entire house.

Ever fall in love with hardwood flooring and wish that you could install it throughout the entire house? Now, you have the potential to install similar colored and styled flooring without worrying about common “splash zone” sections like the kitchen, laundry room, and bathroom. Johnson Hardwood’s Public House Series features highly rated engineered hardwood colors - several of them from the winner of “Surfaces Best of 2015 Style & Design” Alehouse Series. The Public House Series has all the beauty of real hardwood with all the benefits of SPC flooring. Innovative technology such as a thick 30-mil wear layer, our Watershield SPC Rigid Core Hybrid, and registered embossing (EIR), ensures durable, waterproof, and realistic low pattern-repeat flooring. These beautiful worry-free floors will match the bustle and joy of any lifestyle.

Alehouse Series  
Engineered Hardwood

Strawberry Blonde AME-AHM19005



**Johnson.hardwood®**  
www.johnsonhardwood.com





INTRODUCING

# The SKYVIEW Series

Exceptional Visuals... 30mil Wear Layer!

Watershield SPC  
Rigid Core

For the young newlyweds that just bought a home. For the busy, working millennials that just don't have the time to upkeep their floors. For the hip coffee shop opening just around the corner. Whether it's petite apartments lofts or high-traffic commercial businesses, the new Skyview Series is the perfect blend of luxury, high-end style and easy, low-maintenance care. Wide planks with realistically embossed wood texture feature modern, trendy colors ranging from stormy grays to wheat tans. With the Skyview Series, you can be assured that your flooring is not only "Instagrammable" but also durable and waterproof -- did we mention it's 30mil Wear Layer!?



SOUND RATING - IIC: 62

pictured color - STORM

## STRENGTH...

Industry leading 30mil wear layer is Thicker than previous SPC products creating increased durability

## ULTRA-REALISTIC VISUALS...


Registered embossing (EIR), w/30mil wear layer creates an Ultra-Realistic wood texture

## COMMITMENT...

Limited Lifetime Residential - Limited 30-Year Commercial -  
Limited Lifetime Petproof - Limited Lifetime Waterproof - Limited Lifetime Structural

## ENVIRONMENTAL...

- Green Guard Gold Certified - Help reduce indoor air pollution and chemical exposure  
- Phthalate Free - Chemicals that damage the liver/kidneys/lungs/reproductive system



johnson.hardwood®  
www.johnsonhardwood.com





# SKYVIEW

SERIES



Registered  
Embossing (EIR)

Realistic Wood Details

Beveled Edge

- Wide Planks
- Beveled Edge
- Ultra Durable
- Easy Click Installation

Luxury, high-end style meets easy, low-maintenance detail in our new Skyview Series. Wide planks with realistically embossed wood texture feature modern, trendy colors ranging from stormy grays to wheat tans. Our WaterShield SPC Rigid Core technology ensures durability, water-proofing, and scratch resistance. Whether it is petite apartment lofts to roomy homes any living space can be elevated to an impressive lifestyle with this collection.

## SKYVIEW Series

Width 9"   Length 60" (5' Nominal)		Packaging Info
Thickness	7.5mm (6.0 + 1.5mm Pad)	<b>SQ FT/CTN</b> 21.95 SQ FT <b>CTNS/PLT</b> 44 CTNS <b>SQ FT/PLT</b> 965.8 SQ FT
Wear Layer	0.75mm (30 mil)	
Construction	WaterShield SPC Rigid Core	
Underlayment	1.5mm IXPE Foam	
CLIC	Unilin Angle-Tap	Approved For
Other Specs	Registered Embossing (EIR) Green Guard Gold Phthalate Free	• Three Season Rooms • Radiant Heat (Refer to Installation Guidelines)

**WARRANTIES:** Limited **Lifetime** Residential Warranty, Limited **30-Year** Commercial Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.



# SKYVIEW SERIES



**LIGHTNING**  
SV-22301



**CELESTIAL**  
SV-22302



**NIMBUS**  
SV-22303



**MORNING FOG**  
SV-22304




**STORM**  
SV-22305



**CUMULUS**  
SV-22306



**AURORA**  
SV-22307



**METEOR**  
SV-22308



**NEBULA**  
SV-22309



**STARLIGHT**  
SV-22310



**HORIZON**  
SV-22311



**EQUINOX**  
SV-22312

**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

\*Product pictures show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.





# Johnson.hardwood®

SPC  
FLOORING

## NEW PRODUCT LINE QUICK FACTS

GENERAL DESCRIPTION	
<b>SPC</b> (Stone Plastic Composite) product using stone powder fillers and PVC.	
We call this our Watershield SPC Rigid Core.	
SPECIFICATIONS	
Width	9"
Length	60" (5FT nominal)
Thickness	7.5 mm (6.0mm + 1.5mm IXPE Foam backing) 30 mil wear layer (0.75mm) <i>*Thicker than previous SPC products, means increased durability</i>
Bevel	Beveled Edges
CONSTRUCTION	
Registered embossing (EIR) <i>*Technique gives realistic wood texture on surface</i>	
INSTALLATION	
Unilin Angle Tap	
<a href="https://www.youtube.com/watch?v=uMJnK4TeMME">https://www.youtube.com/watch?v=uMJnK4TeMME</a>	
WARRANTY	
Limited Lifetime Residential	
Limited 30-Year Commercial	
Limited Lifetime Petproof	
Limited Lifetime Waterproof	
Limited Lifetime Structural	
GREEN STORY	
Green Guard Gold Certified - Help reduce indoor air pollution and chemical exposure.	
Phthalate Free - Chemicals that damage the liver/kidneys/lungs/reproductive system.	
COLOR & STYLE	
Style	Affordable luxury high-end style, modern & trendy.
Colors	9 colors range from stormy grays to wheat tans.





Embossed Textures

Reclaimed Wood Graphics

Micro Beveled

- Green Guard Gold
- WaterShield SPC Rigid Core Hybrid
- Sound Control Premium Underlayment

Bring the past to the present and last till the future. Own a piece of history from the humblest of times when experienced farmers raised their barns and called it home. The Farmhouse Manor series combines innovative rigid core technology to create water-resistant and durable flooring with the beauty of aged reclaimed wood. From rustic browns to modest tints of grey, the charming visuals of Farmhouse Manor is sure to make an everlasting impression for generations to come.

## FARMHOUSE MANOR Series

Width 7-1/8"   Length 48" Nominal		Packaging info
Thickness	7.5mm	<b>SQ FT/CTN</b> 19.12 SQ FT <b>CTNS/PLT</b> 40 CTNS <b>SQ FT/PLT</b> 764.8 SQ FT <b>WEIGHT/CTN</b> 49 LBS
Wear Layer	0.5mm (20 mil)	
Construction	WaterShield SPC Rigid Core Hybrid	
Underlayment	1.5mm Sound Control Premium Underlayment	
CLIC	UNILIN Angle-Tap	
Other Specs	100% Virgin Vinyl Embossed Green Guard Gold Phthalate Free	

**WARRANTIES:** Limited **Lifetime** Residential Warranty, **10 Year** Commercial Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty





**CAIRNWOOD**  
FM-18201



**OXMOOR**  
FM-18202



**GLIDDEN**  
FM-18203



**NEW HAVEN**  
FM-18204



**HIGH VALLEY**  
FM-18205



**SOUTHWIND**  
FM-18206



**NIGHTFALL**  
FM-18207



**IRON HILL**  
FM-18208




**BRIARCLIFF**  
FM-18209



**ARDENWOOD**  
FM-18210



**MONTICELLO**  
FM-18211



**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

\*Product pictures only show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.





Natural Characteristics



6 FT Planks



Multi-Width



- Multi-Width
- Realistic Wood Design
- Ultra Durable
- 100% Waterproof

Sicily — the heart of the Mediterranean Sea. Johnson Hardwood's Sicily Collection reflects the island surrounded by alluring oceans and a rich history with its own diverse twist.

With multiple width planks that reach 6-foot lengths, this Rigid Core floor creates a magnificent visual with hyper-realistic wood images.

The collection is extremely durable as well as completely waterproof, utilizing our WaterShield SPC Rigid Core technology. Backed with our sound control underlayment made of IXPE foam, you'll be sure to enjoy the benefits of cushioning, shock absorption, and sound-proofing. Installation is easy and secure, stable enough to hold and prevent moisture from seeping through by using the Valinge 2G's simple click and lock method.

## SICILY Collection

Multi-Width 4", 6", 8"   Length 6' (72")		Packaging info
Thickness	7.5mm	<b>SQ FT/CTN</b> 36.02 SQ FT <b>CTNS/PLT</b> 36 CTNS <b>SQ FT/PLT</b> 1,296.72 SQ FT <b>WEIGHT/CTN</b> 92 LBS
Wear Layer	0.5 mm (20 Mil)	
Construction	WaterShield SPC Rigid Core	
CLIC	Valinge 5Gi	
Underlayment	1.5mm IXPE Foam	
Finish	Urethane	
Installation Areas	Floating Clic (Valinge 5Gi) On, Above, Below	

**WARRANTIES:** Limited **Lifetime** Residential Warranty, Limited **15-Year** Commercial Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.





**MESSINA**  
3WS-46801



**ENNA**  
3WS-46802



**TRAPANI**  
3WS-46803



**SYRACUSE**  
3WS-46804







HIGH PERFORMANCE FLOORING



LAMINATE

BVS-19412 FERDINAND



Painted Bevel



Registered  
Embossing (EIR)



Realistic Wood Details

- Multi-Length Planks
- Modern Design Aesthetics
- Commercial Space Applications

Johnson Hardwood's Bella Vista Series makes flooring the centerpiece of a beautiful home. This high performance floor is as durable as it is elegant. With a WaterShield High Performance Core and an AC5 rating, this flooring line is resistant to topical water, scratches, and stains and is robust enough for use in light to medium commercial spaces. Registered embossing adds realistic texture into each plank, producing the authentic feel of hardwood floors. Twelve colors varying from light tans to dark taupes encompass the wide range of hues found in natural European Oak. The Bella Vista Series is the ideal combination of sophisticated style and superior strength.

## BELLA VISTA Series

Width 7-5/8"   Length 23.5", 47", 71" (Nominal)		Packaging Info
Thickness 13.5mm (12mm Core + 1.5mm IXPE) Wear Layer AC5 Rating Core 12mm WaterShield High Performance Core		SQ FT/CTN 22.6 SQ FT CTNS/PLT 40 CTNS SQ FT/PLT 904 SQ FT
Underlayment 1.5mm IXPE Foam		AC5 Rating
CLIC Valinge 5G Dry		Water Resistant Scratch Resistant Stain Resistant Ultra Durable
Other Specs Registered Embossing (EIR) FloorScore Certified Greenguard Gold Certified		

**WARRANTIES:** Limited **20 Year** Light to Medium Commercial Warranty, Limited **Lifetime** Residential Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.

**Johnson.hardwood®**  
www.johnsonhardwood.com





HIGH PERFORMANCE FLOORING



**MONZA**  
BVS-19401



**CAPRI**  
BVS-19402



**VICEROY**  
BVS-19403



**SARDINIA**  
BVS-19404



**PRAIANO**  
BVS-19405



**LORENA**  
BVS-19406



**CALABRIA**  
BVS-19407



**SAVOY**  
BVS-19408



**VIENNA**  
BVS-19409



**MILAN**  
BVS-19410



**LOMBARDY**  
BVS-19411



**FERDINAND**  
BVS-19412

**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

\*Product pictures only show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.






HIGH PERFORMANCE FLOORING



OTS-16503 TOM COLLINS

LAMINATE



Realistic Wood Details



Registered Embossing (EIR)



Painted Bevel

- Reclaimed Wood Visuals
- Sound Reduction Underlayment
- WaterSeal Technology (4-Side Clic Treatment)

Old world charm comes together with innovative WaterShield Technology for the look of rustic reclaimed wood with incredible durability. The Olde Tavern Series is a high performance floor crafted to withstand topical water, scratches, and stains in all types of settings. With an Abrasion Class 4 rating these planks are sturdy enough for use in light to medium commercial spaces. This collection boasts a wide selection of twelve colors that showcases the natural shade ranges of reclaimed hardwood. Images are crisp and clear, while the textured surface mimics realistic wood grains through registered embossing (EIR). Luxury design complements unparalleled performance in Johnson Hardwood's Olde Tavern Series.

## OLDE TAVERN Series

Width 6.5"   Length 48" (4' Nominal)		Packaging Info
Thickness	13.5mm (12mm Core + 1.5mm IXPE)	SQ FT/CTN 15.20 SQ FT CTNS/PLT 50 CTNS SQ FT/PLT 760 SQ FT
Wear Layer	AC4 Rating	
Core	12mm WaterShield High Performance Core	
Underlayment	1.5mm IXPE Foam	AC4 Rating
CLIC	Valinge 5G Dry	Water Resistant Scratch Resistant Stain Resistant Durable
Other Specs	Registered Embossing (EIR) FloorScore Certified Greenguard Gold Certified	

**WARRANTIES:** Limited **15 Year** Light to Medium Commercial Warranty, Limited **Lifetime** Residential Warranty, Limited **Lifetime** Petproof Warranty, Limited **Lifetime** Waterproof Warranty.

**Johnson.hardwood®**  
www.johnsonhardwood.com





HIGH PERFORMANCE FLOORING



**VESPER**  
OTS-16501



**DARK AND STORMY**  
OTS-16502



**TOM COLLINS**  
OTS-16503



**POSSET**  
OTS-16504



**ESPRESSO MARTINI**  
OTS-16505



**BRAMBLE**  
OTS-16506



**SPRITZ**  
OTS-16507



**BELLINI**  
OTS-16508



**PALOMA**  
OTS-16509



**WASSAIL**  
OTS-16510



**HEMINGWAY**  
OTS-16511



**GIMLET**  
OTS-16512

**Johnson.hardwood®**  
[www.johnsonhardwood.com](http://www.johnsonhardwood.com)

\*Product pictures only show a small portion of the floor, and may not represent the true color of the product. Please refer to the Johnson Hardwood website for more product photos.



## OUR COMMITMENT TO SUSTAINABILITY

---

Johnson Hardwood produces high quality; on-trend flooring that is selectively harvested from countries all around the world. Whether lumber is harvested from our own forestlands, or sourced from our supply partners, Johnson Hardwood is committed to supporting Sustainable Forestry Practices. Which means that we are dedicated to preserving healthy forest ecosystems, did you know that:

- 30 to 40% of our exotic lumber comes from aged or fallen timbers. Aging trees block the sunlight, and therefore limit the growth of younger, oxygen producing trees.
- Approximately 70% of our product line is engineered in construction. As compared to solids, this gives Johnson Hardwood a four to five times better yield on our valuable lumber.
- Our commitment to sustainable forestry practices that encompass not only the trees, but also the entire forest ecosystem.
- We employ a comprehensive supplier certification program for all sourced lumber. This helps to insure that our suppliers demonstrate their commitment to environmentally conscious timber procurement.
- We generate much of our steam/electricity requirements by burning our recycled wood scraps reducing our carbon footprint.
- We process 100% of our recovered sawdust into highly efficient heating pellets that are used by the local communities.
- Being a California based company, we strictly adhere to all local and state guidelines regarding waste disposal, recycling, building efficiency improvements, and proper fuel/chemical storage procedures.

**Yes, we make beautiful floors, but did you know:**

- The adhesive used in our engineered floors meets the stringent German E-1 standard for Formaldehyde emissions
- We use only water based finishes on all of our products.
- Johnson Hardwood engineered products are available, on a special order basis, with a core adhesive which meets the criteria for LEED IEQ 4.4, Low Emitting Materials.
- Johnson Hardwood realizes that environmental stewardship is our responsibility as a manufacturer, and is an ongoing process that continually needs to be improved upon.



**LACEY ACT  
COMPLIANT**





# COVERING EVERY CORNER

*Our Nationwide Direct & Distribution Network is Here for You!*

MONZA BVS-19401

## TRI-STATE WHOLESALE FLOORING

Locations: Montana, Wyoming, North and South Dakota, Nebraska, Minnesota, Iowa



POWERED BY ALL SURFACES

## Bishop

### BISHOP DISTRIBUTING

Locations: Indiana, Michigan, Ohio, Kentucky (Henderson, Louisville)



## DIRECT MARKETS

Locations: Washington, Idaho, Oregon, California, Nevada, Utah, New Mexico, Texas, Oklahoma, Arkansas, Louisiana, Mississippi, Northern New York, Western Pennsylvania, West Virginia, Kentucky



## WAREHOUSES

City of Industry, CA  
Houston, Texas  
Olyphant, Pennsylvania  
Sutton, Massachusetts



## Cartwright

DISTRIBUTING  
CARTWRIGHT DISTRIBUTING  
Location: Colorado



## ALL TILE CCS

Locations: Illinois, Kansas, Missouri, Wisconsin



## THE R.A. SIEGEL COMPANY

Locations: Alabama, Florida, Georgia, North Carolina, South Carolina, Eastern Tennessee

## R&J FLOORING SUPPLY

Locations: Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont



## DERR FLOORING CO.

Locations: Southern New York, West Pennsylvania, New Jersey, Delaware, Washington DC, Virginia



## MOXIE FLOORING DISTRIBUTION

Location: Arizona

POWERED BY ALL SURFACES

POWERED BY ALL SURFACES

**Johnson.hardwood®**  
www.johnsonhardwood.com



# Johnson.hardwood®



STRONGEST VERTICALLY INTEGRATED PARTNERSHIPS WORLDWIDE

